



# Class D

Manufactured and Tested to ANSI/UL Standards  
 Amerex is an ISO-9001:2000  
 Registered Firm

- ★ Dependable Steel Cylinders
- ★ All Metal Valve Construction
- ★ Unique "soft flow" extension applicator plus built in long range nozzle
- ★ Special corrosion resistant yellow (Class D) color coded paint finish
- ★ F.M. listed (TO ANSI/UL 299/711)
- ★ Bar Coded Labels

The Amerex "soft flow" extension applicator is particularly suited for fighting Class D fires. It keeps the operator's hands away from the extreme heat and prevents inhalation of toxic fumes caused by burning material. The easily controlled, even discharge provides a non-dispersing application of the agent. The applicator may be quickly detached to provide a straight stream of chemical where greater range, a narrow discharge pattern or a lobbing effect is required.

(Temperature Range -40°F to 120°F)

SPECIFICATIONS	CLASS D Dry Powder	
	Sodium Chloride	Copper
Powder Type	Sodium Chloride	Copper
Application	Hose & Nozzle or Applicator	
Model Number	570	571
Size & Capacity (lbs.)	30	
Shipping Wt. (lbs.)	53	
Height (in.)	27¾	
Width (in.)	16	
Depth (Diam. - in.)	7	
Range (ft.) with Applicator	3 - 6	
Range (ft.) with Nozzle	23 - 27	
Discharge Time (Sec.) - Applicator	28	
Discharge Time (Sec.) - Nozzle	20	
F. M. Approved	Yes	
Standard Bracket	Wall	

## Stored Pressure



MODEL  
570

MODEL  
571



## FOR COMBUSTIBLE METAL FIRES

**MODEL 570** contains a special blended Sodium Chloride based dry powder extinguishing agent. Heat from the fire causes it to cake and form a crust excluding air and dissipating heat from burning metal. Metal fires involving magnesium, sodium, potassium and sodium-potassium alloys can be successfully extinguished with this extinguisher. There is data showing that zirconium, uranium and powdered aluminum fires can be controlled and extinguished with this unique extinguisher.

**Available in 150 lb. Wheeled or Stationary**

**MODEL 571** contains a copper extinguishing agent specially developed by the U.S. Navy for fighting lithium and lithium alloy fires. The copper compound smothers the fire and provides an excellent heat sink for dissipating heat. Copper powder has been found to be superior to all other known fire extinguishing agents for lithium.

**Available in 250 lb. Wheeled**

**6 YEAR WARRANTY**